


Docket No.: CL2317 US NA TOUR Appl. No.: 10/716,347 CLEIC Title: DISPERSION OF CARBON NANOTUBES BY NUCLEIC ACIDS Attorney: NEIL FELTHAM





Docket No.: CL2317 US NA Appl. No.: 10/716,347

Title: DISPERSION OF CARBON NANOTUBES BY NUCLEIC

ACIDS
Attorney: NEIL FELTHAM

2/15





ABSORBANCE

3/15

ACIDS


Attorney: NEIL FELTHAM

Docket No.: CL2317 US NA CLEIC Appl. No.: 10/716,347
Title: DISPERSION OF CARBON NANOTUBES BY NUCLEIC .

::3 CPEIC


ACIDS

4/15



ACIDS
Attorney: NEIL FELTHAM

5/15



ACIDS

6/15




FIG. 5A




FIG. 5B

ACIDS

7/15




FIG. 6

Docket No.: CL2317 US NA

Appl. No.: 10/716,347
Title: DISPERSION OF CARBON NANOTUBES BY NUCLEIC

ACIDS

Attorney: NEIL FELTHAM




FIG. 6B

ACIDS

Attorney: NEIL FELTHAM






FIG. 6C

10/15





11/15

ACIDS
Attorney: NEIL FELTHAM

Docket No.: CL2317 US NA Appl. No.: 10/716,347 Title: DISPERSION OF CARBON NANOTUBES BY NUCLEIC

ACIDS

Attorney: NEIL FELTHAM





FIG. 8

Docket No.: CL2317 US NA
Appl. No.: 10/716,347
Title: DISPERSION OF CARBON NANOTUBES BY NUCLEIC
ACIDS
Attorney: NEIL FELTHAM


13/15



ACIDS

Attorney: NEIL FELTHAM

14/15



Avg spacing = 11nm Ht of CNT=1.08nm Width of CNT=1.9nm Ht of CNT/DNA= 2.16nm

FIG. 10

Docket No.: CL2317 US NA Appl. No.: 10/716,347

Title: DISPERSION OF CARBON NANOTUBES BY NUCLEIC

ACIDS Attorney: NEIL FELTHAM

15/15

